



© Forrest Smith

ating seedling responses of 21 native and introduced plant species to elevated saline conditions.

Three ebb-flow tables were set to water at 1 of 3 levels of sea salt solutions: 0 (control), 15, and 30 dS/m (deciSiemens per meter). Plants were seeded in 98 containers per tray, and then the trays were randomly placed on the tables with 4 replicates per species per table. Plant survival and biomass production were evaluated May–August 2006 and March–July 2007.

Findings of this study should provide critical information on the plant species that exhibit the most salinity tolerance and have the best chances for establishment on salt affected soils. This information can be used to aid in restoration efforts of saline soils and help reduce the impacts of erosion on these soils.

Cooperative funding was provided by the USDA Natural Resources Conservation Service and the Zapata County Soil and Water Conservation District.

## **Evaluation of Native Plant Germplasms for Ecotype Development**

Forrest S. Smith, William Ocumpaugh, Paula D. Maywald, Keith A. Pawelek, Robin L. Harkey, Stephanie A. Campbell, John Lloyd-Reilley, and Shelly D. Maher

For development of native plant releases for South Texas, we are evaluating numerous native plant accessions at Rio Farms (Hidalgo Co.), Rancho Blanco (Webb Co.), Texas Agricultural Experiment Station at Uvalde (Uvalde Co.) and Beeville (Bee Co.), Bladerunner Farms (Atascosa Co.), and the Stephen J. "Tio" and Janell Kleberg Wildlife Research Park (Kleberg Co.). During 2006 and 2007, we completed evaluations of orange zexmenia, pink pappusgrass, and whiplash pappusgrass.

Based on the evaluations, 4 accessions of orange zexmenia, 7 accessions of pink pappusgrass, and 3 accessions of whiplash pappusgrass were suitable. These accessions will be released to the commercial seed industry in 2007 and 2008.

We continue to evaluate accessions of awnless bush sunflower, bundleflower, multi-flowered false rhodesgrass, crinkleawn, slim tridens, rough tridens, little bluestem, yellow Indiangrass, sideoats grama, and big bluestem. Native germplasm releases will be made for each of these species in the next 2 to 6 years.



© Forrest Smith

Orange zexmenia is one of the herbaceous plants being evaluated by South Texas Natives and cooperators.

We hope to release multi-flowered false rhodesgrass and awnless bush sunflower in 2008. Plant species already released include Arizona cottontop, slender grama, Texas grama, and hairy grama and they will continue to be evaluated for long-term survival.

Cooperative funding was provided by South Texas Natives.

## **Effect of Seed Coating and Seeding Rate** on Native Grass Establishment

William Ocumpaugh, Forrest S. Smith, Jeff Rahmes, Domingo Martinez, and Paula D. Maywald

Seed coatings are an excellent option for making mechanical (drill or broadcast) plantings of native grass seed more effective. Empirical evidence and recommendations of commercial seed salesmen also indicate that coating the seed of grasses such as buffelgrass has allowed the use of lower seeding rates while still resulting in successful establishment.

In late summer 2007, we will plant pink pappusgrass, Arizona cottontop, multi-flowered false rhodesgrass, and slender grama using coated and uncoated seed at the standard seeding rate (20 pure live seeds/ square foot) and at half the standard seeding rate. We will collect data on stand establishment at several sites over a 2 to 3 year period.

The results of this research will be used to determine if the use of seed coatings can facilitate reduced

## **ABSTRACT EXTERNAL AUTHORS AND CO-AUTHORS**

- Mr. Tim Anderson, U.S. Fish and Wildlife Service
- Dr. Michael Avery, USDA APHIS Wildlife Services National Wildlife Research Center
- Dr. Guy A. Baldassarre, State University of New York
- Dr. Thomas G. Barnes, Department of Forestry, University of Kentucky
- Dr. Scott Barras, USDA APHIS Wildlife Services
- Mr. Ty Bartoskewitz, Texas Parks and Wildlife
- Dr. Terry L. Blankenship, Rob and Bessie Welder Wildlife Foundation
- Dr. Clint W. Boal, U.S. Geological Survey, Biological Research Division, Texas Cooperative Fish and Wildlife Research Unit
- Ms. Kathy Boydston, Texas Parks and Wildlife
- Dr. Dulce Brousset, Department of Wildlife and Ethology, UNAM, Mexico
- Mr. A. Lawrence Bryan, Jr., Savannah River Ecology Laboratory
- Mr. Alan Cain, Texas Parks and Wildlife
- Dr. Tyler A. Campbell, USDA APHIS Wildlife Services National Wildlife Research Center Texas Field Station
- Ms. Sasha Carvajal, Pronatura Noreste Monterrey, Nuevo Leon, Mexico
- Dr. Larry Clark, USDA APHIS Wildlife Services National Wildlife Research Center
- Mr. Stephen J. DeMaso, Texas Parks and Wildlife
- Mr. David Douget, Bladerunner Farms
- Ms. Patricia Downey, Oklahoma State University
- Mr. Don A. Draeger, Comanche Ranch
- Dr. D. Lynn Drawe, Rob and Bessie Welder Wildlife Foundation
- Dr. Whichan Eiadthong, Kasetsart University, Bangkok, Thailand
- Mr. George Farek, USDA NRCS Kika de la Garza Plant Materials Center
- Mr. Justin Fields, King Ranch, Inc.
- Dr. W. Mark Ford, USDA Forest Service, Northeastern Research Station
- Mr. N. David Forrester, Texas Parks and Wildlife
- Mr. Donnie Frels, Texas Parks and Wildlife
- Mr. T. Dan Friedkin, Comanche Ranch
- Mr. James R. Fugate, Texas Parks and Wildlife
- Mr. James F. Gallagher, Texas Parks and Wildlife
- Dr. Michelle A. Garcia, Department of Animal and Wildlife Sciences, TAMUK
- Mr. Juan Garza, Rio Farms, Inc.
- Dr. Dale E. Gawlik, Florida Atlantic University

- Mr. Kenneth L. Gee, Samuel Roberts Noble Foundation
- Dr. Charles Gilliland, Texas Real Estate Center, TAMU
- Dr. Selma Glasscock, Rob and Bessie Welder Wildlife Foundation
- Dr. Robert A. Gonzales, Samuel Roberts Noble Foundation
- Dr. William E. Grant, Department of Wildlife and Fisheries Sciences, TAMU
- Dr. M. Clay Green, Texas State University
- Dr. Fred S. Guthery, Oklahoma State University
- Mr. Gilbert Guzman, Texas Parks and Wildlife
- Dr. Aaron M. Haines, University of Idaho
- Dr. Jeffrey S. Hall, USDA APHIS Wildlife Services National Wildlife Research Center
- Dr. Wade Harrell, The Nature Conservancy
- Mr. R. Edwin Hartin, USDA APHIS Wildlife Services
- Dr. Louis A. Harveson, Sul Ross State University
- Dr. Mickey W. Hellickson, King Ranch, Inc.
- Mr. Froylán Hernández, Texas Parks and Wildlife
- Mr. David A. Holderman, Texas Parks and Wildlife
- Dr. Rodney L. Honeycutt, Pepperdine University
- Dr. Jon Horne, University of Idaho
- Dr. Andrew C. Kasner, Audubon Texas
- Mr. Daniel Kunz, Texas Parks and Wildlife
- Ms. Linda L. Laack, U.S. Fish and Wildlife Service
- Dr. Barry Lambert, Tarleton State University
- Dr. Benjamin R. Laseter, University of Georgia
- Dr. Jamie C. Laurenz, TAMUK
- Ms. Angela E. Lee, Tarleton State University
- Mr. Bruce Leland, Texas Wildlife Services
- Dr. Susan Lingle, University of Lethbridge and University of Alberta
- Mr. John Lloyd-Reilley, USDA NRCS Kika de la Garza Plant Materials Center
- Mr. Mitchell A. Lockwood, Texas Parks and Wildlife
- Mr. David B. Long, USDA APHIS Wildlife Services National Wildlife Research Center Texas Field Station
- Ms. Shelly D. Maher, USDA NRCS Kika de la Garza Plant Materials Center
- Mr. Domingo Martinez, Texas Agricultural Experiment Station, Beeville
- Mr. Richard E. Mauldin, USDA APHIS Wildlife Services National Wildlife Research Center
- Mr. Evan McCoy, Texas Parks and Wildlife
- Dr. Robert G. McLean, USDA APHIS Wildlife Services National Wildlife Research Center
- Dr. M. Todd Merendino, Texas Parks and Wildlife